

e-STUDIO5508A

e-STUDIO6508A

e-STUDIO7508A

e-STUDIO8508A

Product brochure

- › High-volume A3 multifunction systems with impressive monochrome document output at speeds of up to 85 ppm.
- › Fully customisable user interface and support of cloud and mobile printing to give you the flexibility you need in today's business world.
- › A high-capacity Dual Scan Document Feeder enables users to process documents at speeds of up to 240 ipm.



CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.
Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs while helping you to meet your green objectives.

Faster, sleeker, and more volume than ever.

Toshiba's high-end A3 monochrome line-up has a sleek new design, on the outside and inside. With an impressive paper capacity of 6,020 sheets and innovative functionality from the e-BRIDGE Next controller, users can create crisp clean monochrome prints at speeds of up to 85 pages per minute.

- Speeds of 55/65/75/85 ppm
- Extra high-volume printing with outstanding print quality that meets the highest of expectations
- Advanced Toshiba e-BRIDGE controller technology for high-quality document output with a resolution of up to 3,600 dpi x 1,200 dpi
- High-speed, high-capacity Dual Scan Document Feeder for amazing document processing



Improve productivity and connectivity while simplifying your workflows.

Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customisable to meet your needs. Part of the bold new look being introduced across the new e-STUDIO series.

HOW TOSHIBA IS RAISING THE STANDARD.

Toshiba provides innovative technology that really makes a difference. The e-STUDIO8508A series offers the latest e-BRIDGE controller technology, enabling complete third-party integration and support for internally driven solutions.

AirPrint and Mopria support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture app provides additional capabilities including the ability to scan from the MFP back to your mobile device.

Cloud Support

New Scan-to-Cloud and Cloud Print capabilities increase productivity by letting users store documents remotely and access stored documents for printing. Whether it's Dropbox, Microsoft OneDrive or Google Drive, Toshiba MFPs make scanning to cloud-based locations a breeze.

The support for Google Cloud Print enables easy printing to the MFP from wherever you may be. Print jobs can be sent from outside the network environment without the need to install a printer driver.

Advanced Security

Toshiba understand that security is a top concern for all organisations. The e-STUDIO8508A series offers industry-leading technological achievements, such as:

- The self-encrypting Toshiba Secure HDD which provides top level security
- Optional security functions which make the systems compliant with IEEE2600.1 and meet the EAL3 Common Criteria requirements
- IPsec to securely encrypt data sent to and from the MFP

Environmental Responsibility

Toshiba is continuously working towards a more sustainable future for everyone, which is why our products reflect our commitment to the future of the planet.

- RoHS compliant; use of recycled plastics and a low-power Super Sleep Mode to save resources
- Being ENERGY STAR Tier 2 compliant means the systems meet the latest, most stringent environmental requirements



FEATURES AND BENEFITS AND MORE OF THEM.

The e-STUDIO8508A series improves workgroup connectivity, integrates and simplifies workflows while improving efficiency with superb image quality at unprecedented volumes.

High, Reliable Speeds include 55/65/75/85 monochrome pages per minute.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around jobs that are held-up due to requiring a specific paper size or type.

Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Toner Change On-The-Fly allows you to replace the toner cartridges while the MFP is printing.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Bluetooth/Wi-Fi Option simplifies workflow processes at the MFP and enables Wi-Fi Direct printing — ideal for mobile users.

Card Readers can be installed discreetly behind the cover of the systems. Providing fast and convenient access to your print jobs and increased data security.

A 9" Tablet-Style Touch Screen helps you access instructions, functions, and commands with the swipe of the finger.



With a large touch screen, document handling has never been easier. Size and order of icons as well as the background image can be customised. Enjoy the unique experience of working with a system that understands what you want.

Multi Station Print offers a serverless printing solution that allows you to release your print job at any of up to ten MFPs within your network. Irrespective of the system it was originally sent to. Simply authenticate at the system of your choice - either by card or by pin - to collect your documents.

If necessary, you can even make some last-minute changes to the print settings directly at the MFP itself or simply re-print documents without having to re-send them. Saving time and reducing waste. Plus, your documents are safe, as they cannot be printed without you first authenticating at a system.

CONFIGURATION



HIGHLIGHTS

Advanced e-BRIDGE Technology
Toshiba's next-generation e-BRIDGE architecture features an embedded web browser, 4 GB RAM and the Toshiba Secure Hard Disk Drive enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

Dual Scan Document Feeder
The 300-sheet capacity, high-speed, high-capacity document feeder seamlessly scans both sides of each page in a single pass to produce up to 240 ipm.

Embedded Apps
The optional e-BRIDGE Plus apps for Microsoft OneDrive, Google Drive and Dropbox let you send your documents directly to or print from cloud services via the MFP.

SPECIFICATIONS

General

Print & Copy Speed	55/65/75/85 ppm (A4) 27/30/37/40 ppm (A3)
Warm-up Time	Approx. 15 seconds from low power mode
Paper Size & Weight	Cassettes: A5R-320 x 460 mm, 60-256 gsm Tandem LCF: A4, 60-256 gsm Bypass: 100 x 148 mm-330 x 483 mm, 60-300 gsm, banner paper (up to 313.4 x 1,200 mm, 90-163 gsm)
Paper Capacity	2x 540 sheets (Cassettes) + 1x 2,320 sheets (Tandem LCF), 1x 120 sheets (Bypass) Maximum 6,020 sheets
Automatic Duplex	A5R-320 x 460 mm, 60-256 gsm
Controller Type	Toshiba e-BRIDGE
Control Panel	22.9 cm (9") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ¹⁾ , 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ²⁾ (IEEE802.11b/g/n), Bluetooth ²⁾ , Wi-Fi Direct ²⁾
Dimensions & Weight	955 x 698 x 1,227 mm (W x D x H), 195 kg

Print

Resolution	600 x 600 dpi, 2,400 x 600 dpi with smoothing 1,200 x 1,200 dpi (2 bit, PostScript driver only), 3,600 x 1,200 dpi with smoothing (PostScript driver only)
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins ²⁾ , Print from USB, Hold print, Tandem printing

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Up to 240 ipm (300 dpi) in colour and monochrome via Dual Scan Document Feeder
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, SecurePDF, Slim PDF, PDF/A, Searchable PDF ²⁾ (and other formats like DOCX, XLSX) ²⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ²⁾ , OCR Scan ²⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
First Copy Output Time	Approx. 5.2/5.2/4.5/4.1 seconds
Zoom	25-400% (Platen), 25-200% (DSDF)
Copy Modes	Text, Text/Photo, Photo, Custom
Copy Functions	Electronic Sort, Rotate Sort, Edge Erase, 2-in-1 / 4-in-1 mode

Fax²⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB (HDD) Transmission/Reception
Network-Fax	Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ²⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ²⁾ , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ²⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ²⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ²⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ²⁾ , Scan to Secure PDF

OPTIONS

EXTERNAL LARGE CAPACITY FEEDER	2,500-sheet capacity, A4, 60-256 gsm
MULTI-STAPLE FINISHER	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)
SADDLE-STITCH FINISHER	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 gsm (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 4 holes (F)

SIDE EXIT TRAY
ACCESSORY TRAY
PANEL TEN-KEY OPTION
FAX BOARD
WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct)
e-BRIDGE ID-GATE
DATA OVERWRITE ENABLER
IPsec ENABLER
EMBEDDED OCR ENABLER
MULTI STATION PRINT ENABLER
META SCAN ENABLER
UNICODE FONT ENABLER
ACCESSIBLE ARM



¹⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.
²⁾ Optional



About Toshiba TEC

Toshiba TEC UK Imaging Systems LTD is part of the globally operating Toshiba TEC Corporation, active in various high-tech industrial sectors.

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries.

With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

Email

info@toshibatec.co.uk

Website

www.toshibatec.co.uk



Speak to us

T: 0800 046 1332

E: info@insightsystems.co.uk

W: www.insightsystems.co.uk

This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned.

Copyright ©2017 TOSHIBA TEC. BR_e-STUDIO8508A series_0717

6 BY0COP1612

Jav.66537.0816



Mixed Sources

Product group from well-managed forests and other controlled sources

www.fsc.org Cert no. TT-COC-006445

©1996 Forest Stewardship Council